


BENOPLAST®
www.benoplast.com



Bakery
Products

ALL PURPOSE CRATES


Bakery Products



B-500

Perforated Base / Perforated Walls


External Dimensions	: 560 x 745 x 154 (h)mm
Internal Dimensions	: 526 x 710 x 127(h)mm
Weight	: 2250 gr PPC (±%3)
Usable Volume	: 49,30 lt
Loading Quantities	: Truck : 2706 40'HC : 1900



B-510

Perforated Base / Perforated Walls

External Dimensions	: 570 x 760 x 249 (h)mm
Internal Dimensions	: 540 x 724 x 210 (h)mm
Weight	: 2810 gr PPC (±%3)
Usable Volume	: 76,60 lt
Loading Quantities	: Truck : 2640 40'HC : 1900



B-540

Solid Base / Perforated Walls

External Dimensions	: 400 x 600 x 252 (h)mm
Internal Dimensions	: 377 x 575 x 222 (h)mm
Weight	: 2000 gr PPC (±%3)
Usable Volume	: 48,00 lt
Loading Quantities	: Truck : 3960 40'HC : 3000



B-544

Solid Base / Solid Walls

External Dimensions	: 400 x 600 x 400 (h)mm
Internal Dimensions	: 372 x 572 x 397 (h)mm
Weight	: 2780 gr PPC (±%3)
Usable Volume	: 84,00 lt
Loading Quantities	: Truck : 2640 40'HC : 2090



B-544-1



Perforated Base / Solid Walls

External Dimensions :	400 x 600 x 400 (h)mm
Internal Dimensions :	372 x 572 x 397 (h)mm
Weight :	2780 gr PPC (±%3)
Usable Volume :	84,00 lt
Loading Quantities :	Truck : 2640 40'HC : 2090

**B-850**

Perforated Base / Perforated Walls

External Dimensions :	445 x 635 x 153 (h)mm
Internal Dimensions :	434 x 624 x 120 (h)mm
Weight :	1500 gr PPC (±%3)
Usable Volume :	30,50 lt
Loading Quantities :	Truck : 3300 40'HC : 2500

**B-875**



Perforated Base / Perforated Walls


External Dimensions :	495 x 660 x 150 (h)mm
Internal Dimensions :	485,3 x 650,3 x 122 (h)mm
Weight :	1590 gr PPC (±%3)
Usable Volume :	44,00 lt
Loading Quantities :	Truck : 2640 40'HC : 1850

**B-860**

Perforated Base / Perforated Walls

External Dimensions :	540 x 640 x 92 (h)mm
Internal Dimensions :	528,4 x 628,4 x 50 (h)mm
Weight :	1500 gr PPC (±%3)
Usable Volume :	15,80 lt
Loading Quantities :	Truck : 3300 40'HC : 2350







B-865

Perforated Base / Perforated Walls


External Dimensions	: 540 x 640 x 120,5 (h)mm
Internal Dimensions	: 528,4 x 628,4 x 78 (h)mm
Weight	: 1690 gr PPC (±%3)
Usable Volume	: 24,60 lt
Loading Quantities	: Truck : 3300 40'HC : 2350



B-870

Perforated Base / Perforated Walls


External Dimensions	: 540 x 640 x 173 (h)mm
Internal Dimensions	: 528 x 628 x 141 (h)mm
Weight	: 1825 gr PPC (±%3)
Usable Volume	: 45,50 lt
Loading Quantities	: Truck : 3300 40'HC : 2350



B-880-1

Solid Base / Perforated Walls

External Dimensions	: 420 x 660 x 381 (h)mm
Internal Dimensions	: 394 x 624 x 355 (h)mm
Weight	: 2100 gr PPC (±%3)
Usable Volume	: 87,00 lt
Loading Quantities	: Truck : 2160 40'HC : 1530



B-800

Solid Base / Perforated Walls

External Dimensions	: 400 x 600 x 380 (h)mm
Internal Dimensions	: 365 x 565 x 363 (h)mm
Weight	: 2700 gr PPC / 2800 gr HDPE (±%3)
Usable Volume	: 73,80 lt
Loading Quantities	: Truck : 792 40'HC : 600



B-891 T

Solid Base / Solid Walls

External Dimensions	: 400 x 600 x 75 (h)mm
Internal Dimensions	: 355 x 555 x 66 (h)mm
Weight	: 1080 gr PPC (±%3)
Usable Volume	: 13 lt
Loading Quantities	: Truck: 3120 40'HC : 3000 adet

**B-892 T**

Solid Base / Solid Walls

External Dimensions	: 400 x 600 x 100 (h)mm
Internal Dimensions	: 355 x 555 x 91 (h)mm
Weight	: 1210 gr PPC (±%3)
Usable Volume	: 18 lt
Loading Quantities	: Truck: 2496 40'HC : 1800

**B-893 Lid**

Dimensions	: 400 x 600 (h)mm
Weight	: 715 gr PPC
Loading Quantities	: Truck: 14976 40'HC : 13200

**B-890**

Solid Base / Solid Walls

External Dimensions	: 455 x 660 x 84 (h)mm
Internal Dimensions	: 405 x 607 x 60 (h)mm
Weight	: 1500 gr PPC (±%3)
Usable Volume	: 15,10 lt
Loading Quantities	: Truck: 3060 40'HC : 3264

