



BENOPLAST®
www.benoplast.com



Marine
Products




2010 Golden Packaging Awards

B-330 (t 70 mm)

Perforated Base / Perforated Wall

External Dimensions	: 400 x 550 x 175 (h)mm
Internal Dimensions	: 370 x 522 x 89 (h)mm
Weight	: 820 gr PPC (±%3)
Usable Volume	: 17,00 lt
Loading Quantities	: Truck : 2304 40 'HC : 1650



2010 Golden Packaging Awards

B-340 (t 70 mm)

Solid Base / Perforated Walls



External Dimensions	: 400 x 550 x 175 (h)mm
Internal Dimensions	: 370 x 522 x 89 (h)mm
Weight	: 900 gr PPC (±%3)
Usable Volume	: 17,00 lt
Loading Quantities	: Truck : 2304 40 'HC : 1650



B-700 (t 14 mm)

Perforated Base / Perforated Wall

External Dimensions	: 410 x 620 x 162,5 (h)mm
Internal Dimensions	: 381 x 591 x 141 (h)mm
Weight	: 1560 gr PPC / 1590 gr HDPE (±%3)
Usable Volume	: 31,60 lt
Loading Quantities	: Truck : 1740 40 'HC : 1120



B-710 (t 14 mm)

Solid Base / Perforated Walls


External Dimensions	: 410 x 620 x 162,5 (h)mm
Internal Dimensions	: 381 x 591 x 141 (h)mm
Weight	: 1570 gr PPC / 1620 gr HDPE (±%3)
Usable Volume	: 31,60 lt
Loading Quantities	: Truck : 1740 40 'HC : 1120



B-720
(t:35 mm)


Perforated Base / Perforated Walls

External Dimensions	: 405 x 620 x 105 (h)mm
Internal Dimensions	: 381 x 591 x 84 (h)mm
Weight	: 1175 gr HDPE ($\pm 3\%$)
Usable Volume	: 18,80 lt
Loading Quantities	: Truck : 3432 40 'HC : 2400

**B-730**
(t:35 mm)

Solid Base / Perforated Walls

External Dimensions	: 405 x 620 x 105 (h)mm
Internal Dimensions	: 381 x 591 x 81 (h)mm
Weight	: 1260 gr HDPE ($\pm 3\%$)
Usable Volume	: 17,60 lt
Loading Quantities	: Truck : 3432 40 'HC : 2400

**B-750**
(t:19,5 mm)

Perforated Base / Perforated Walls

External Dimensions	: 405 x 620 x 90 (h)mm
Internal Dimensions	: 378 x 593 x 70 (h)mm
Weight	: 1135 gr PPC / 1165 gr HDPE ($\pm 3\%$)
Usable Volume	: 15,70 lt
Loading Quantities	: Truck : 3844 40 'HC : 2900

**B-755**
(t:40 mm)

Perforated Base / Perforated Walls

External Dimensions	: 405 x 620 x 90 (h)mm
Internal Dimensions	: 378 x 593 x 69 (h)mm
Weight	: 1120 gr PPC / 1150 gr HDPE ($\pm 3\%$)
Usable Volume	: 15,50 lt
Loading Quantities	: Truck : 3844 40 'HC : 2900






B-756
(t 40 mm)

Solid Base / Perforated Walls

External Dimensions	:	405 x 620 x 90 (h)mm
Internal Dimensions	:	378 x 593 x 69 (h)mm
Weight	:	1080 gr PPC / 1110 gr HDPE (± %3)
Usable Volume	:	15,50 lt
Loading Quantities	:	Truck : 3844 40 'HC : 2900



B-760
(t 19,5 mm)

Solid Base / Perforated Walls

External Dimensions	:	405 x 620 x 90 (h)mm
Internal Dimensions	:	378 x 593 x 70 (h)mm
Weight	:	1095 gr PPC / 1125 gr HDPE (± %3)
Usable Volume	:	15,50 lt
Loading Quantities	:	Truck : 3844 40 'HC : 2900

