



Dairy  
Products



## ALL PURPOSE CRATES


### Dairy Products



#### B-100

20 x 50 cl Bottle Crate  
Bottle Crate With Dividers


|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 330 x 400 x 289 (h)mm     |
| Internal Dimensions | : 307,5 x 378,5 x 263 (h)mm |
| Weight              | : 1975 gr HDPE (± %3)       |
| Usable Volume       | : 30,00 lt                  |
| Loading Quantities  | : Truck : 1872 40'HC : 1584 |



#### B-105

24 x 20 cl Bottle Crate  
Bottle Crate With Dividers


|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 280 x 400 x 223 (h)mm     |
| Internal Dimensions | : 255 x 375 x 202 (h)mm     |
| Weight              | : 1420 gr HDPE (± %3)       |
| Usable Volume       | : 19,00 lt                  |
| Loading Quantities  | : Truck : 3564 40'HC : 2420 |



#### B-125

12 x 100 cl Bottle Crate  
Bottle Crate With Dividers

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 300 x 400 x 304 (h)mm     |
| Internal Dimensions | : 282 x 377 x 291 (h)mm     |
| Weight              | : 1510 gr HDPE (± %3)       |
| Usable Volume       | : 30,00 lt                  |
| Loading Quantities  | : Truck : 2112 40'HC : 1600 |



#### B-125-1

12 x 100 cl Bottle Crate  
Bottle Crate With Dividers

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 300 x 400 x 305 (h)mm     |
| Internal Dimensions | : 276,5 x 376,5 x 291 (h)mm |
| Weight              | : 1070 gr PPC (± %3)        |
| Usable Volume       | : 30,00 lt                  |
| Loading Quantities  | : Truck : 2112 40'HC : 1600 |





**B-130**


20 x 50 cl Bottle Crate  
Bottle Crate With Dividers

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 300 x 400 x 240 (h)mm     |
| Internal Dimensions : | 281 x 373 x 227 (h)mm     |
| Weight :              | 1 420 gr HDPE (±%3)       |
| Usable Volume :       | 23,00 lt                  |
| Loading Quantities :  | Truck : 2904 40'HC : 2100 |

**B-5000**

Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 300 x 310 x 80 (h)mm      |
| Internal Dimensions : | 282,4 x 291,7 x 62 (h)mm  |
| Weight :              | 385 gr HDPE (±%3)         |
| Usable Volume :       | 5,00 lt                   |
| Loading Quantities :  | Truck : 9504 40'HC : 7920 |

**B-115**

Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 260 x 400 x 142,5 (h)mm   |
| Internal Dimensions : | 229 x 371 x 122,5 (h)mm   |
| Weight :              | 660 gr HDPE (±%3)         |
| Usable Volume :       | 12,00 lt                  |
| Loading Quantities :  | Truck : 5643 40'HC : 4050 |

**B-110**

Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 260 x 400 x 375,5 (h)mm   |
| Internal Dimensions : | 226 x 372 x 253 (h)mm     |
| Weight :              | 1 115 gr HDPE (±%3)       |
| Usable Volume :       | 21,40 lt                  |
| Loading Quantities :  | Truck : 2673 40'HC : 1980 |







### B-110-2

Perforated Base / Perforated Walls

|                     |                                  |
|---------------------|----------------------------------|
| External Dimensions | : 260 x 400 x 277 (h)mm          |
| Internal Dimensions | : 227 x 373 x 254 (h)mm          |
| Weight              | : 810 gr PPC / 880 gr HDPE (±%3) |
| Usable Volume       | : 15,00 lt                       |
| Loading Quantities  | : Truck : 2673 40'HC : 1980      |



### B-120-1

Perforated Base / Perforated Walls

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 260 x 400 x 307,5 (h)mm   |
| Internal Dimensions | : 226 x 372 x 285 (h)mm     |
| Weight              | : 1000 gr HDPE (±%3)        |
| Usable Volume       | : 24,00 lt                  |
| Loading Quantities  | : Truck : 2376 40'HC : 1760 |



### B-120-2

Perforated Base / Perforated Walls

|                     |                                  |
|---------------------|----------------------------------|
| External Dimensions | : 260 x 400 x 307,5 (h)mm        |
| Internal Dimensions | : 227 x 373 x 285 (h)mm          |
| Weight              | : 800 gr PPC / 910 gr HDPE (±%3) |
| Usable Volume       | : 24,00 lt                       |
| Loading Quantities  | : Truck : 2376 40'HC : 1760      |



### B-122

Perforated Base / Perforated Walls

|                     |                                    |
|---------------------|------------------------------------|
| External Dimensions | : 260 x 400 x 330 (h)mm            |
| Internal Dimensions | : 230 x 372 x 305 (h)mm            |
| Weight              | : 1170 gr PPC / 1250 gr HDPE (±%3) |
| Usable Volume       | : 26,00 lt                         |
| Loading Quantities  | : Truck : 2376 40'HC : 1540        |





**B-137** Perforated Base / Perforated Walls

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 300 x 400 x 173 (h)mm     |
| Internal Dimensions | : 273 x 373 x 162 (h)mm     |
| Weight              | : 700 gr HDPE (± %3)        |
| Usable Volume       | : 16,50 lt                  |
| Loading Quantities  | : Truck : 3960 40'HC : 3080 |

**B-135** Perforated Base / Perforated Walls

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 300 x 400 x 240 (h)mm     |
| Internal Dimensions | : 274 x 374 x 220 (h)mm     |
| Weight              | : 1100 gr HDPE (± %3)       |
| Usable Volume       | : 22,50 lt                  |
| Loading Quantities  | : Truck : 2904 40'HC : 2200 |

**B-201** (t:20mm) Perforated Base / Perforated Walls

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 360 x 530 x 160 (h)mm     |
| Internal Dimensions | : 338 x 500 x 140 (h)mm     |
| Weight              | : 910 gr HDPE (± %3)        |
| Usable Volume       | : 23,20 lt                  |
| Loading Quantities  | : Truck : 2400 40'HC : 1760 |

**B-200** (t:20mm) Perforated Base / Perforated Walls

|                     |                                   |
|---------------------|-----------------------------------|
| External Dimensions | : 360 x 530 x 170 (h)mm           |
| Internal Dimensions | : 338 x 500 x 150 (h)mm           |
| Weight              | : 900 gr PPC / 915 gr HDPE (± %3) |
| Usable Volume       | : 24,70 lt                        |
| Loading Quantities  | : Truck : 2560 40'HC : 1650       |







**B-200 Y**  
(t20mm)

Perforated Base / Perforated Walls


|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 365 x 530 x 170 (h)mm     |
| Internal Dimensions | : 338 x 500 x 150 (h)mm     |
| Weight              | : 915 gr HDPE (±%3)         |
| Usable Volume       | : 24,90 lt                  |
| Loading Quantities  | : Truck : 2560 40'HC : 1650 |



**B-230**  
(t20mm)

Perforated Base / Perforated Walls


|                     |                                   |
|---------------------|-----------------------------------|
| External Dimensions | : 360 x 530 x 170 (h)mm           |
| Internal Dimensions | : 338 x 500 x 147 (h)mm           |
| Weight              | : 950 gr PPC / 1000 gr HDPE (±%3) |
| Usable Volume       | : 24,70 lt                        |
| Loading Quantities  | : Truck : 2560 40'HC : 1650       |



**B-260**  
(t52mm)

Perforated Base / Perforated Walls


|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 370 x 520 x 188 (h)mm     |
| Internal Dimensions | : 341 x 497 x 175 (h)mm     |
| Weight              | : 1285 gr HDPE (±%3)        |
| Usable Volume       | : 24,70 lt                  |
| Loading Quantities  | : Truck : 1820 40'HC : 1430 |



**B-400**

Perforated Base / Perforated Walls

|                     |                                    |
|---------------------|------------------------------------|
| External Dimensions | : 400 x 400 x 143,5 (h)mm          |
| Internal Dimensions | : 372 x 372 x 120 (h)mm            |
| Weight              | : 1010 gr PPC / 1050 gr HDPE (±%3) |
| Usable Volume       | : 16,40 lt                         |
| Loading Quantities  | : Truck : 3762 40'HC : 2700        |






**B-425**


Perforated Base / Perforated Walls

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 400 x 400 x 148 (h)mm     |
| Internal Dimensions | : 374 x 374 x 126 (h)mm     |
| Weight              | : 955 gr HDPE ( $\pm 3\%$ ) |
| Usable Volume       | : 17,40 lt                  |
| Loading Quantities  | : Truck : 3564 40'HC : 2550 |

**B-426**


Perforated Base / Perforated Walls

|                     |                             |
|---------------------|-----------------------------|
| External Dimensions | : 400 x 400 x 148 (h)mm     |
| Internal Dimensions | : 374 x 374 x 127 (h)mm     |
| Weight              | : 915 gr HDPE ( $\pm 3\%$ ) |
| Usable Volume       | : 18,10 lt                  |
| Loading Quantities  | : Truck : 3564 40'HC : 2550 |

**B-405**


Perforated Base / Perforated Walls

|                     |                                            |
|---------------------|--------------------------------------------|
| External Dimensions | : 400 x 400 x 182 (h)mm                    |
| Internal Dimensions | : 372 x 372 x 160 (h)mm                    |
| Weight              | : 1100 gr PPC / 1150 gr HDPE ( $\pm 3\%$ ) |
| Usable Volume       | : 21,30 lt                                 |
| Loading Quantities  | : Truck : 2772 40'HC : 2100                |

**B-405-1**

Perforated Base / Perforated Walls

|                     |                                          |
|---------------------|------------------------------------------|
| External Dimensions | : 400 x 400 x 182,5 (h)mm                |
| Internal Dimensions | : 372 x 372 x 160 (h)mm                  |
| Weight              | : 785 gr PPC / 838 gr HDPE ( $\pm 3\%$ ) |
| Usable Volume       | : 22,00 lt                               |
| Loading Quantities  | : Truck : 2772 40'HC : 2100              |








**B-410**

Perforated Base / Perforated Walls


|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm     |
| Internal Dimensions : | 374 x 374 x 160 (h)mm     |
| Weight :              | 1175 gr HDPE (±%3)        |
| Usable Volume :       | 21,90 lt                  |
| Loading Quantities :  | Truck : 2772 40'HC : 1950 |



**B-410-4**

Perforated Base / Perforated Walls


|                       |                                |
|-----------------------|--------------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm          |
| Internal Dimensions : | 374 x 374 x 160 (h)mm          |
| Weight :              | 840 gr PPC / 890 gr HDPE (±%3) |
| Usable Volume :       | 22,00 lt                       |
| Loading Quantities :  | Truck : 2772 40'HC : 1950      |



**B-415**

Perforated Base / Perforated Walls



|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm     |
| Internal Dimensions : | 374 x 374 x 160 (h)mm     |
| Weight :              | 1175 gr HDPE (±%3)        |
| Usable Volume :       | 21,90 lt                  |
| Loading Quantities :  | Truck : 2772 40'HC : 1950 |



**B-415-4**

Perforated Base / Perforated Walls

|                       |                                |
|-----------------------|--------------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm          |
| Internal Dimensions : | 374 x 374 x 160 (h)mm          |
| Weight :              | 840 gr PPC / 890 gr HDPE (±%3) |
| Usable Volume :       | 22,00 lt                       |
| Loading Quantities :  | Truck : 2772 40'HC : 1950      |






**B-420**



Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm     |
| Internal Dimensions : | 374 x 374 x 163 (h)mm     |
| Weight :              | 1150gr HDPE (±%3)         |
| Usable Volume :       | 22,60 lt                  |
| Loading Quantities :  | Truck : 2772 40'HC : 1950 |

**B-420-1**

Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 400 x 186 (h)mm     |
| Internal Dimensions : | 374 x 374 x 165 (h)mm     |
| Weight :              | 1110 gr HDPE (±%3)        |
| Usable Volume :       | 23,00 lt                  |
| Loading Quantities :  | Truck : 2772 40'HC : 1950 |

**B-420-2**


Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm     |
| Internal Dimensions : | 374 x 374 x 165 (h)mm     |
| Weight :              | 885 gr HDPE (±%3)         |
| Usable Volume :       | 23,70 lt                  |
| Loading Quantities :  | Truck : 2772 40'HC : 1950 |

**B-421**

Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 400 x 185 (h)mm     |
| Internal Dimensions : | 374 x 374 x 163 (h)mm     |
| Weight :              | 1125 gr HDPE (±%3)        |
| Usable Volume :       | 23,30 lt                  |
| Loading Quantities :  | Truck : 2772 40'HC : 1950 |









**B-416** Perforated Base / Perforated Walls

|                     |   |                          |
|---------------------|---|--------------------------|
| External Dimensions | : | 400 x 400 x 204 (h)mm    |
| Internal Dimensions | : | 374 x 374 x 182 (h)mm    |
| Weight              | : | 1200 gr HDPE (±%3)       |
| Usable Volume       | : | 25,70 lt                 |
| Loading Quantities  | : | Truck: 2574 40'HC : 1800 |




**B-416-1** Perforated Base / Perforated Walls

|                     |   |                           |
|---------------------|---|---------------------------|
| External Dimensions | : | 400 x 400 x 204 (h)mm     |
| Internal Dimensions | : | 374 x 374 x 182 (h)mm     |
| Weight              | : | 1100 gr HDPE (±%3)        |
| Usable Volume       | : | 25,00 lt                  |
| Loading Quantities  | : | Truck : 2574 40'HC : 1800 |




**B-406** Perforated Base / Perforated Walls

|                     |   |                           |
|---------------------|---|---------------------------|
| External Dimensions | : | 400 x 400 x 207 (h)mm     |
| Internal Dimensions | : | 372 x 372 x 185 (h)mm     |
| Weight              | : | 1090 gr PPC (±%3)         |
| Usable Volume       | : | 24,80 lt                  |
| Loading Quantities  | : | Truck : 2574 40'HC : 1800 |



**B-406-1** Perforated Base / Perforated Walls

|                     |   |                           |
|---------------------|---|---------------------------|
| External Dimensions | : | 400 x 400 x 208,5 (h)mm   |
| Internal Dimensions | : | 372 x 372 x 185 (h)mm     |
| Weight              | : | 830 gr PPC (±%3)          |
| Usable Volume       | : | 25,50 lt                  |
| Loading Quantities  | : | Truck : 2574 40'HC : 1800 |






**B-430**


Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions:  | 400 x 400 x 281 (h)mm     |
| Internal Dimensions : | 374 x 374 x 257 (h)mm     |
| Weight :              | 1400 gr HDPE (±%3)        |
| Usable Volume :       | 25,70 lt                  |
| Loading Quantities :  | Truck : 1782 40'HC : 1200 |

**B-440**


Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 440 x 440 x 198 (h)mm     |
| Internal Dimensions : | 410 x 410 x 179(h)mm      |
| Weight :              | 1225 gr HDPE (±%3)        |
| Usable Volume :       | 29,70 lt                  |
| Loading Quantities :  | Truck : 1794 40'HC : 1512 |

**B-660**


Perforated Base / Perforated Walls

|                       |                                  |
|-----------------------|----------------------------------|
| External Dimensions : | 400 x 600 x 143,5 (h)mm          |
| Internal Dimensions : | 371,5 x 568,5 x 123 (h)mm        |
| Weight :              | 1460 gr PPC / 1510 gr HDPE (±%3) |
| Usable Volume :       | 25,70 lt                         |
| Loading Quantities :  | Truck : 2376 40'HC : 1870        |

**B-660-1**

Perforated Base / Perforated Walls

|                       |                                  |
|-----------------------|----------------------------------|
| External Dimensions : | 400 x 600 x 143,5 (h)mm          |
| Internal Dimensions : | 371 x 571,5 x 123 (h)mm          |
| Weight :              | 1170 gr PPC / 1275 gr HDPE (±%3) |
| Usable Volume :       | 26,00 lt                         |
| Loading Quantities :  | Truck : 2376 40'HC : 1870        |





ALL PURPOSE CRATES


Dairy Products



B-670

Perforated Base / Perforated Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 400 x 610 x 113,5 (h)mm   |
| Internal Dimensions : | 386 x 582 x 109 (h)mm     |
| Weight :              | 1500 gr HDPE (± %3)       |
| Usable Volume :       | 24,30 lt                  |
| Loading Quantities :  | Truck : 2640 40'HC : 2090 |



B-7418

Solid Base / Solid Walls

|                       |                           |
|-----------------------|---------------------------|
| External Dimensions : | 440 x 690 x 180,9 (h)mm   |
| Internal Dimensions : | 401 x 641 x 155 (h)mm     |
| Weight :              | 2900 gr HDPE (± %3)       |
| Usable Volume :       | 40,00 lt                  |
| Loading Quantities :  | Truck : 1350 40'HC : 1120 |

