


Active Lock Foldable Crates



PPC




100% Recyclable



Food Grade



Cost Reduction



built to last...

B-4314 A



External Dimensions	: 399x299x140 (h)mm
Internal Dimensions	: 370x272x131 (h)mm
Folded Height	: 38 (h)mm Stacking height: 33 (h)mm
Weight	: 870 gr PPC(±3)
Usable Volume	: 12,20 lt
Unit/Static Loading Capacities	: 15 kg - 180 kg
20 FT DC Loading	: 600x10 (100*120 pallet)= 6.000 Pieces
40 FT HC Loading	: 700x22 (100*120 pallet)= 15.400 Pieces
Truck Loading	: 700x26 (100*120 pallet)= 18.200 Pieces




4 / 1

B-4317 A



External Dimensions	: 399x299x170 (h)mm
Internal Dimensions	: 370x272x164 (h)mm
Folded Height	: 38 (h)mm Stacking height: 33 (h)mm
Weight	: 920 gr PPC(±3)
Usable Volume	: 17,20 lt
Unit/Static Loading Capacities	: 15 kg - 180 kg
20 FT DC Loading	: 600x10 (100*120 pallet)= 6.000 Pieces
40 FT HC Loading	: 700x22 (100*120 pallet)= 15.400 Pieces
Truck Loading	: 700x26 (100*120 pallet)= 18.200 Pieces



5 / 1



B-6412 A





External Dimensions	: 600x399x122 (h)mm
Internal Dimensions	: 570x368x114 (h)mm
Folded Height	: 39 (h)mm Stacking height: 33 (h)mm
Weight	: 1.400 gr PPC (±3%)
Usable Volume	: 24,00 lt
Unit/Static Loading Capacities	: 12 kg - 180 kg
20 FT DC Loading	: 300x10 (100 * 120 pallet)=3.000 Pieces
40 FT HC Loading	: 350x22 (100 * 120 pallet)=7.700 Pieces
Truck Loading	: 350x26 (100 * 120 pallet)=9.100 Pieces



3.64/1

External Dimensions	: 600x399x172 (h)mm
Internal Dimensions	: 570x368x164 (h)mm
Folded Height	: 39 (h)mm Stacking height: 33 (h)mm
Weight	: 1.625 gr PPC (±3%)
Usable Volume	: 34,00 lt
Unit/Static Loading Capacities	: 20 kg - 180 kg
20 FT DC Loading	: 300x10 (100 * 120 pallet)=3.000 Pieces
40 FT HC Loading	: 350x22 (100 * 120 pallet)=7.700 Pieces
Truck Loading	: 350x26 (100 * 120 pallet)=9.100 Pieces



5/1

External Dimensions	: 600x399x202 (h)mm
Internal Dimensions	: 570x368x194 (h)mm
Folded Height	: 39 (h)mm Stacking height: 33 (h)mm
Weight	: 1.740 gr PPC (±3%)
Usable Volume	: 42,80 lt
Unit/Static Loading Capacities	: 20 kg - 180 kg
20 FT DC Loading	: 300x10 (100 * 120 pallet)=3.000 Pieces
40 FT HC Loading	: 350x22 (100 * 120 pallet)=7.700 Pieces
Truck Loading	: 350x26 (100 * 120 pallet)=9.100 Pieces

B-6420 A



6/1

B-6422 A




External Dimensions	: 600x399x222 (h)mm
Internal Dimensions	: 570x368x213 (h)mm
Folded Height	: 39 (h)mm Stacking height: 33 (h)mm
Weight	: 1,845 gr PPC(±#3)
Usable Volume	: 47,00 lt
Unit/Static Loading Capacities	: 20 kg - 180 kg
20 FT DC Loading	: 300x10 (100 * 120 pallet)= 3.000 Pieces
40 FT HC Loading	: 350x22 (100 * 120 pallet)= 7.700 Pieces
Truck Loading	: 350x26 (100 * 120 pallet)= 9.100 Pieces



6/1

External Dimensions	: 600x399x230 (h)mm
Internal Dimensions	: 570x368x222 (h)mm
Folded Height	: 41 (h)mm Stacking height: 47 (h)mm
Weight	: 1,900 gr PPC(±#3)
Usable Volume	: 48,70 lt
Unit/Static Loading Capacities	: 25 kg - 225 kg
20 FT DC Loading	: 250x10 (100 * 120 pallet)= 2.500 Pieces
40 FT HC Loading	: 275x22 (100 * 120 pallet)= 6.050 Pieces
Truck Loading	: 275x26 (100 * 120 pallet)= 7.150 Pieces




5.90/1

Structures that increase transport strength in stacked boxes




Designed for safe stacking in mixed use




Unique user-friendly design for easy folding!

- Patented locking system
- Ergonomic hand grips



- Unique and industrially designed exterior wall
- Kanban area suitable for different sized labels

Structures that increase transport strength instacked boxes



CODE area

RFID area

- Robotic automation points



Rippled sole structure that reduces flexing

Perforated base structure that provides ideal ventilation and prevents water accumulation

BENOPLAST®
www.benoplast.com

Esentepe Mah. Milangaz Cad. No:75
Monumento Kartal Plaza B Blok No:2
34870 Kartal - İstanbul / TÜRKİYE
+90 216 456 22 00

BENOPLAST®
GmbH
www.benoplast.com


Friedrichstraße 15 70174
Stuttgart / GERMANY
+49 172 677 13 02

BENOPLAST®
LLC
www.benoplast.com

401 North Michigan Ave.
Chicago IL 60611 / USA
+1 312 840 82 00



Active Lock Foldable Boxes



Catalogue



www.benoplast.com



✉ export@benoplast.com