

BENOPLAST[®]

www.benoplast.com

VDA

Verband der
Automobilindustrie



built to last...

Boxes Details

Boxes Type	External Dimensions	Internal Dimensions	Weight (±%)	Unit Load	2 nd Height	40'HC	Mega Truck
R-KLT 3215 / R-KLT 3115 ESD	198x297x147,5 (h)mm	162x243x129,5 (h)mm	PPC-570 gr / ESD-630 gr	20 kg	+133 mm	7.920 pcs	11.088 pcs
R-KLT 4315 / R-KLT 4115 ESD	297x396x147,5 (h)mm	265x346x129,5 (h)mm	PPC-1.290 gr / ESD-1.400 gr		+133 mm	3.960 pcs	5.544 pcs
R-KLT 4322 / R-KLT 4122 ESD	297x396x213,7 (h)mm	265x346x190,5 (h)mm	PPC-1.610 gr / ESD-1.800 gr		+199 mm	2.640 pcs	3.696 pcs
R-KLT 4329 / R-KLT 4129 ESD	297x396x280 (h)mm	265x346x242 (h)mm	PPC-1.850 gr / ESD-2.050 gr		+265 mm	1.980 pcs	2.640 pcs
R-KLT 6415 / R-KLT 6115 ESD	396x594x147,5 (h)mm	364x544x109,5 (h)mm	PPC-2.100 gr / ESD-2.320 gr		+133 mm	1.980 pcs	2.772 pcs
R-KLT 6422 / R-KLT 6122 ESD	396x594x213,7 (h)mm	364x544x190,5 (h)mm	PPC-2.600 gr / ESD-2.900 gr		+199 mm	1.320 pcs	1.848 pcs
R-KLT 6429 / R-KLT 6129 ESD	396x594x280 (h)mm	364x544x242 (h)mm	PPC-2.970 gr / ESD-3.300 gr		+265 mm	990 pcs	1.320 pcs
RL-KLT 3147 / RL-KLT 3115 ESD	198x297x147,5 (h)mm	162x243x129,5 (h)mm	PPC-570 gr / ESD-630 gr	20 kg	+133 mm	7.920 pcs	11.088 pcs
RL-KLT 4147 / RL-KLT 4047 ESD	297x396x147,5 (h)mm	260x345x129,5 (h)mm	PPC-1.080 gr / ESD-1.200 gr		+133 mm	3.960 pcs	5.544 pcs
RL-KLT 4213 / RL-KLT 4013 ESD	297x396x213,7 (h)mm	260x345x210,5 (h)mm	PPC-1.420 gr / ESD-1.540 gr		+199 mm	2.640 pcs	3.696 pcs
RL-KLT 4280 / RL-KLT 4080 ESD	297x396x280 (h)mm	260x345x262 (h)mm	PPC-1.700 gr / ESD-1.880 gr		+265 mm	1.980 pcs	2.640 pcs
RL-KLT 6147 / RL-KLT 6047 ESD	396x594x147,5 (h)mm	359x544x129,5 (h)mm	PPC-1.820 gr / ESD-2.000 gr		+133 mm	1.980 pcs	2.772 pcs
RL-KLT 6213 / RL-KLT 6013 ESD	396x594x213,7 (h)mm	359x544x190,5 (h)mm	PPC-2.270 gr / ESD-2.540 gr		+199 mm	1.320 pcs	1.848 pcs
RL-KLT 6280 / RL-KLT 6080 ESD	396x594x280 (h)mm	359x544x262 (h)mm	PPC-2.670 gr / ESD-2.950 gr		+265 mm	990 pcs	1.320 pcs
C-KLT 3214 / C-KLT 3214 ESD	198x297x147,2 (h)mm	136x260,1x144 (h)mm	PPC-720 gr / ESD-800 gr	50 kg	+132 mm	7.920 pcs	11.088 pcs
C-KLT 4314 / C-KLT 4316 ESD	297x396x147,5 (h)mm	247x334x119 (h)mm	PPC-1.630 gr / ESD-1.830 gr		+132 mm	3.960 pcs	5.544 pcs
C-KLT 4328 / C-KLT 4327 ESD	297x396x280 (h)mm	247,5x334x236,5 (h)mm	PPC-2.600 gr / ESD-2.890 gr		+265 mm	1.980 pcs	2.640 pcs
C-KLT 6414 / C-KLT 6414 ESD	400x600x147 (h)mm	346x532x115 (h)mm	PPC-2.800 gr / ESD-3.080 gr		+132 mm	1.980 pcs	2.772 pcs
C-KLT 6421 / C-KLT 6421 ESD	400x600x213 (h)mm	346x532x181 (h)mm	PPC-3.700 gr / ESD-4.070 gr		+198 mm	1.320 pcs	1.848 pcs
C-KLT 6428 / C-KLT 6448 ESD	396x594x280 (h)mm	346x532x246,5 (h)mm	PPC-4.400 gr / ESD-4.480 gr		+265 mm	990 pcs	1.320 pcs

Lids Details

Lids Type	External Dimensions	Weight (±%)	Overlap Height	40'HC	Mega Truck
R-KLT D39 / R-KLT D31 ESD	169,6x267,8x17 (h)mm	PPC-90 gr / ESD-100 gr	25 mm	86.592 pcs	103.950 pcs
R-KLT D49 / R-KLT D41 ESD	267,8x366x21,5 (h)mm	PPC-250 gr / ESD-300 gr	38 mm	12.350 pcs	44.550 pcs
R-KLT D69 / R-KLT D61 ESD	366x563x21,5 (h)mm	PPC-520 gr / ESD-750 gr	38 mm	16.500 pcs	19.800 pcs
RL-KLT D35 / RL-KLT D31 ESD	170x268x17 (h)mm	PPC-90 gr / ESD-100 gr	25 mm	86.592 pcs	103.950 pcs
RL-KLT D45 / RL-KLT D41 ESD	267x365x13,5 (h)mm	PPC-270 gr / ESD-300 gr	24 mm	12.350 pcs	44.550 pcs
RL-KLT D65 / RL-KLT D61 ESD	365x563x16 (h)mm	PPC-670 gr / ESD-750 gr	29 mm	16.500 pcs	19.800 pcs
C-KLT D32 / C-KLT D32 ESD	150x267x8 (h)mm	PPC-90 gr / ESD-100 gr	31 mm	86.592 pcs	103.950 pcs
C-KLT D43 / C-KLT D43 ESD	267x365x25 (h)mm	PPC-230 gr / ESD-260 gr	43 mm	36.960 pcs	44.550 pcs
C-KLT D64 / C-KLT D64 ESD	365x563x25 (h)mm	PPC-550 gr / ESD-610 gr	33 mm	16.500 pcs	19.800 pcs

VDA | Verband der Automobilindustrie



R-KLT / ESD

RL-KLT / ESD

C-KLT / ESD






www.benoplast.com



Contact

 For a sustainable future,
we took a green step.
We reduced our carbon footprint...

export@benoplast.com