


PACKAGING SOLUTIONS
FOR CIRCULAR ECONOMY

BENOPLAST®

www.benoplast.com

Boxes • Pallets • Containers • Lids



built to last...

Meat Products



100% Recyclable



Food Grade



398x598x201 (h)mm

Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
E-1	399x599x126 (h)mm	369x569x120 (h)mm	1.500 gr HDPE (±%3)	12.5 kg	+114 mm	Open:✓ Closed:X
E-2	399x599x201 (h)mm	369x569x195 (h)mm	2.000 gr HDPE (±%3)	20 kg	+189 mm	Open:✓ Closed:X
E-3	399x599x300 (h)mm	369x569x294 (h)mm	3.000 gr HDPE (±%3)	30 kg	+288 mm	Open:✓ Closed:X

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
E-1	105 pcs / 100*120 pallet	88 pcs / 80*120 pallet	2.310 pcs	2.904 pcs
E-2	60 pcs / 100*120 pallet	52 pcs / 80*120 pallet	1.320 pcs	1.716 pcs
E-3	40 pcs / 100*120 pallet	32 pcs / 80*120 pallet	880 pcs	1.056 pcs




Marine Products



100% Recyclable



Food Grade



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	Double/Conical Height	Handle Options
B-FC4610	396x598x101 (h)mm	367x464x78 (h)mm	1.250 gr HDPE (±%3)	10 kg	187 mm / +76 mm	Open:X Closed:✓
B-FC4610-1	396x598x101 (h)mm	367x464x78 (h)mm	1.180 gr HDPE (±%3)	10 kg	187 mm / +76 mm	Open:X Closed:✓
B-FC4613	396x598x127 (h)mm	367x464x104 (h)mm	1.400 gr HDPE (±%3)	12 kg	239 mm / +76 mm	Open:X Closed:✓
B-FC4613-1	396x598x127 (h)mm	367x464x104 (h)mm	1.290 gr HDPE (±%3)	12 kg	239 mm / +76 mm	Open:X Closed:✓
B-FC4616	396x598x157 (h)mm	367x464x134 (h)mm	1.550 gr HDPE (±%3)	17 kg	299 mm / +76 mm	Open:X Closed:✓
B-FC4616-1	396x598x157 (h)mm	367x464x134 (h)mm	1.440 gr HDPE (±%3)	17 kg	299 mm / +76 mm	Open:X Closed:✓

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
B-FC4610	225 pcs / 100*120 pallet	180 pcs / 80*120 pallet	4.950 pcs	5.940 pcs
B-FC4610-1	225 pcs / 100*120 pallet	180 pcs / 80*120 pallet	4.950 pcs	5.940 pcs
B-FC4613	225 pcs / 100*120 pallet	180 pcs / 80*120 pallet	4.950 pcs	5.940 pcs
B-FC4613-1	225 pcs / 100*120 pallet	180 pcs / 80*120 pallet	4.950 pcs	5.940 pcs
B-FC4616	200 pcs / 100*120 pallet	160 pcs / 80*120 pallet	4.400 pcs	5.280 pcs
B-FC4616-1	225 pcs / 100*120 pallet	180 pcs / 80*120 pallet	4.400 pcs	5.280 pcs




Bale Arm/Stack & Nestable Boxes



100% Recyclable



Food Grade



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	Double/Conical Height	Handle Options
B-520	300x403x206 (h)mm	280,5x380,5x186 (h)mm	960 gr PPC (±%3)	8 kg	386 mm / +59 mm	Open:✓ Closed:X
B-535	404x603x167 (h)mm	378x574x141 (h)mm	1.470 gr PPC (±%3)	15 kg	316 mm / +69 mm	Open:✓ Closed:X
B-530	404x600x198 (h)mm	346,6x547x185 (h)mm	1.600 gr PPC (±%3)	15 kg	377mm / +60 mm	Open:✓ Closed:X
B-540	403x598x252 (h)mm	377x575x222 (h)mm	2.000 gr PPC (±%3)	13 kg	488 mm / +94 mm	Open:✓ Closed:X
B-544	400x600x407 (h)mm	372x572x397 (h)mm	2.780 gr PPC (±%3)	30 kg	794 mm / +115 mm	Open:✓ Closed:X
B-545	400x600x330 (h)mm	372x572x317 (h)mm	2.250 gr PPC (±%3)	10 kg	654 mm / +125 mm	Open:✓ Closed:X
B-500	557x744x167 (h)mm	526x710x139 (h)mm	2.250 gr PPC (±%3)	10 kg	312 mm / +76 mm	Open:✓ Closed:X
B-510	571x765x260 (h)mm	540x724x232 (h)mm	2.810 gr PPC (±%3)	10 kg	480 mm / +75 mm	Open:✓ Closed:X
B-860	540x640x92 (h)mm	528x628x70 (h)mm	1.500 gr PPC (±%3)	8 kg	164 mm / +58 mm	Open:✓ Closed:X
B-865	540x640x121 (h)mm	528x628x98 (h)mm	1.690 gr PPC (±%3)	6 kg	218 mm / +60 mm	Open:✓ Closed:X
B-866	540x640x126 (h)mm	528x629x100 (h)mm	1.700 gr PPC (±%3)	8 kg	234 mm / +61 mm	Open:✓ Closed:X
B-870	540x640x173 (h)mm	528x628x151 (h)mm	1.825 gr PPC (±%3)	10 kg	324 mm / +59 mm	Open:✓ Closed:X
B-875	495x660x150 (h)mm	485x650x132 (h)mm	1.590 gr PPC (±%3)	10 kg	284 mm / + 56,5 mm	Open:✓ Closed:X
B-890	455x660x84 (h)mm	405x607x75 (h)mm	1.500 gr PPC (±%3)	10 kg	155 mm / +71 mm	Open:✓ Closed:X

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
B-520	580 pcs / 100*120 pallet	496 pcs / 80*120 pallet	12.760 pcs	16.368 pcs
B-535	265 pcs / 100*120 pallet	228 pcs / 80*120 pallet	5.830 pcs	7.524 pcs
B-530	240 pcs / 100*120 pallet	208 pcs / 80*120 pallet	5.280 pcs	6.864 pcs
B-540	150 pcs / 100*120 pallet	120 pcs / 80*120 pallet	3.300 pcs	3.960 pcs
B-544	90 pcs / 100*120 pallet	76 pcs / 80*120 pallet	1.980 pcs	2.508 pcs
B-545	100 pcs / 100*120 pallet	80 pcs / 80*120 pallet	2.200 pcs	2.640 pcs
B-500	90 pcs / 80*120 pallet	90 pcs / 80*120 pallet	2.250 pcs	2.970 pcs
B-510	80 pcs / 80*120 pallet	80 pcs / 80*120 pallet	2.000 pcs	2.640 pcs
B-860	94 pcs / 80*120 pallet	100 pcs / 80*120 pallet	2.350 pcs	3.300 pcs
B-865	92 pcs / 80*120 pallet	100 pcs / 80*120 pallet	2.300 pcs	3.300 pcs
B-866	92 pcs / 80*120 pallet	100 pcs / 80*120 pallet	2.300 pcs	3.300 pcs
B-870	100 pcs / 80*120 pallet	100 pcs / 80*120 pallet	2.500 pcs	3.300 pcs
B-875	74 pcs / 80*120 pallet	80 pcs / 80*120 pallet	1.850 pcs	2.640 pcs
B-890	136 pcs / 100*120 pallet	102 pcs / 80*120 pallet	2.856 pcs	3.060 pcs



100% Recyclable



Food Grade

Active Lock Foldable Boxes




Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	Usable Volume	Folded Height	Handle Options
B-4314A	299x399x140 (h)mm	272x370x131 (h)mm	870 gr PPC (±%3)	15 kg	12,20 lt	38 mm / +33 mm↑	Open:✓ Closed:X
B-4317A	299x399x170 (h)mm	272x370x164 (h)mm	920 gr PPC (±%3)	15 kg	17,20 lt	38 mm / +33 mm↑	Open:✓ Closed:X
B-6412A	399x600x122 (h)mm	368x570x114 (h)mm	1.400 gr PPC (±%3)	12 kg	24,00 lt	39 mm / +33 mm↑	Open:✓ Closed:X
B-6417A	399x600x172 (h)mm	368x570x164 (h)mm	1.625 gr PPC (±%3)	20 kg	34,00 lt	39 mm / +33 mm↑	Open:✓ Closed:X
B-6420A	399x600x202 (h)mm	368x570x194 (h)mm	1.740 gr PPC (±%3)	20 kg	42,80 lt	39 mm / +33 mm↑	Open:✓ Closed:X
B-6422A	399x600x222 (h)mm	368x570x213 (h)mm	1.845 gr PPC (±%3)	20 kg	47,00 lt	39 mm / +33 mm↑	Open:✓ Closed:X
B-6423A	399x600x230 (h)mm	368x570x222 (h)mm	1.900 gr PPC (±%3)	25 kg	48,70 lt	47 mm / +41 mm↑	Open:✓ Closed:X

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
B-4314A	700 pcs / 100*120 pallet	700 pcs / 100*120 pallet	15.400 pcs	18.200 pcs
B-4317A	700 pcs / 100*120 pallet	700 pcs / 100*120 pallet	15.400 pcs	18.200 pcs
B-6412A	350 pcs / 100*120 pallet	350 pcs / 100*120 pallet	7.700 pcs	9.100 pcs
B-6417A	350 pcs / 100*120 pallet	350 pcs / 100*120 pallet	7.700 pcs	9.100 pcs
B-6420A	350 pcs / 100*120 pallet	350 pcs / 100*120 pallet	7.700 pcs	9.100 pcs
B-6422A	350 pcs / 100*120 pallet	350 pcs / 100*120 pallet	7.700 pcs	9.100 pcs
B-6423A	275 pcs / 100*120 pallet	275 pcs / 100*120 pallet	6.050 pcs	7.150 pcs



Standard Industrial Boxes




100% Recyclable



Food Grade

Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
B-2111	148x198x118 (h)mm	116x165x115 (h)mm	235 gr PPC(±3%)	3 kg	+106 mm	Open:✗ Closed:✓
B-3211	198x298x118 (h)mm	164x264x116 (h)mm	410 gr PPC(±3%)	5 kg	+110 mm	Open:✗ Closed:✓
B-4311	298x398x120 (h)mm	264x364x118 (h)mm	730 gr PPC(±3%)	10 kg	+210 mm	Open:✗ Closed:✓
B-4322	298x398x230 (h)mm	264x364x228 (h)mm	1.150 gr PPC(±3%)	15 kg	+220 mm	Open:✓ Closed:✓
B-4322-1	298x398x230 (h)mm	264x364x228 (h)mm	1.080 gr PPC(±3%)	15 kg	+220 mm	Open:✓ Closed:✓
B-4375	295x395x75 (h)mm	265x365x72 (h)mm	610 gr PPC(±3%)	+8 kg	+65 mm	Open:✗ Closed:✓
B-4610	398x596x120 (h)mm	364x562x117 (h)mm	1.200 gr PPC/1.300 gr HDPE(±3%)	20 kg	+110 mm	Open:✗ Closed:✓
B-4611	398x596x120 (h)mm	364x562x108 (h)mm	1.395 gr PPC(±3%)	20 kg	+110 mm	Open:✗ Closed:✓
B-4616	398x596x175 (h)mm	364x562x163 (h)mm	1.955 gr PPC(±3%)	20 kg	+165 mm	Open:✓ Closed:✓
B-4622	398x596x230 (h)mm	364x562x218 (h)mm	2.230 gr PPC(±3%)	20 kg	+220 mm	Open:✓ Closed:✓
B-4628	398x596x290 (h)mm	364x562x278 (h)mm	2.525 gr PPC(±3%)	25 kg	+280 mm	Open:✓ Closed:✓
B-4633	398x596x340 (h)mm	364x562x328 (h)mm	2.900 gr PPC(±3%)	25 kg	+330 mm	Open:✓ Closed:✓
B-4634	398x596x340 (h)mm	364x562x328 (h)mm	2.860 gr PPC(±3%)	25 kg	+330 mm	Open:✓ Closed:✓
B-4635	399x597x347 (h)mm	365x563x335 (h)mm	2.800 gr PPC(±3%)	25 kg	+337 mm	Open:✓ Closed:✓
B-4635-1	399x597x347 (h)mm	365x563x334 (h)mm	2.725 gr PPC(±3%)	25 kg	+337 mm	Open:✓ Closed:✓
B-4644	398x596x450 (h)mm	364x562x438 (h)mm	3.535 gr PPC(±3%)	30 kg	+440 mm	Open:✓ Closed:✓
B-4644-1	398x596x450 (h)mm	364x562x438 (h)mm	3.470 gr PPC(±3%)	30 kg	+440 mm	Open:✓ Closed:✓
B-4011	399x997x120 (h)mm	365x963x107 (h)mm	2.470 gr PPC(±3%)	20 kg	+210 mm	Open:✗ Closed:✓
B-4022	399x997x230 (h)mm	365x963x217 (h)mm	3.320 gr PPC(±3%)	20 kg	+220 mm	Open:✓ Closed:✓
B-8622	599x799x230 (h)mm	568x768x218 (h)mm	4.200 gr PPC(±3%)	30 kg	+221 mm	Open:✓ Closed:✓
B-8625	600x800x260 (h)mm	569x770x248 (h)mm	4.320 gr PPC(±3%)	30 kg	+251 mm	Open:✓ Closed:✓
B-8633	599x799x340 (h)mm	568x768x328 (h)mm	5.220 gr PPC(±3%)	30 kg	+331 mm	Open:✓ Closed:✓
B-8644	599x799x450 (h)mm	568x768x438 (h)mm	6.250 gr PPC(±3%)	30 kg	+441 mm	Open:✓ Closed:✓

Product Code	Loading Quantities			
	40HC	Truck	40HC	Truck
B-2111	880 pcs / 100*120 pallet	768 pcs / 80*120 pallet	19.360 pcs	25.344 pcs
B-3211	440 pcs / 100*120 pallet	368 pcs / 80*120 pallet	9.680 pcs	12.144 pcs
B-4311	220 pcs / 100*120 pallet	184 pcs / 80*120 pallet	4.840 pcs	6.072 pcs
B-4322	110 pcs / 100*120 pallet	88 pcs / 80*120 pallet	2.420 pcs	2.904 pcs
B-4322-1	110 pcs / 100*120 pallet	88 pcs / 80*120 pallet	2.420 pcs	2.904 pcs
B-4375	370 pcs / 100*120 pallet	320 pcs / 80*120 pallet	8.140 pcs	10.560 pcs
B-4610	110 pcs / 100*120 pallet	92 pcs / 80*120 pallet	2.420 pcs	3.036 pcs
B-4611	110 pcs / 100*120 pallet	92 pcs / 80*120 pallet	2.420 pcs	3.036 pcs
B-4616	70 pcs / 100*120 pallet	60 pcs / 80*120 pallet	1.540 pcs	1.980 pcs
B-4622	55 pcs / 100*120 pallet	44 pcs / 80*120 pallet	1.210 pcs	1.452 pcs
B-4628	40 pcs / 100*120 pallet	36 pcs / 80*120 pallet	880 pcs	1.188 pcs
B-4633	35 pcs / 100*120 pallet	28 pcs / 80*120 pallet	770 pcs	924 pcs
B-4634	35 pcs / 100*120 pallet	28 pcs / 80*120 pallet	770 pcs	924 pcs
B-4635	35 pcs / 100*120 pallet	28 pcs / 80*120 pallet	770 pcs	924 pcs
B-4635-1	35 pcs / 100*120 pallet	28 pcs / 80*120 pallet	770 pcs	924 pcs
B-4644	25 pcs / 100*120 pallet	20 pcs / 80*120 pallet	550 pcs	660 pcs
B-4644-1	25 pcs / 100*120 pallet	20 pcs / 80*120 pallet	550 pcs	660 pcs
B-4011	66 pcs / 100*120 pallet	69 pcs / 100*120 pallet	1.452 pcs	1.794 pcs
B-4022	33 pcs / 100*120 pallet	33 pcs / 100*120 pallet	726 pcs	858 pcs
B-8622	22 pcs / 80*120 pallet	22 pcs / 80*120 pallet	550 pcs	726 pcs
B-8625	18 pcs / 80*120 pallet	20 pcs / 80*120 pallet	450 pcs	660 pcs
B-8633	14 pcs / 80*120 pallet	14 pcs / 80*120 pallet	350 pcs	462 pcs
B-8644	10 pcs / 80*120 pallet	10 pcs / 80*120 pallet	250 pcs	330 pcs



R-KLT Industrial Boxes and Lids



Verband der
Automobilindustrie



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
R-KLT 3215 (3115 ESD)	198x297x147,5 (h)mm	162x243x129,5 (h)mm	570 gr PPC (±%)	20 kg	+133 mm	Open: X Closed: ✓
R-KLT 4315 (4115 ESD)	297x396x147,5 (h)mm	265x346x129,5 (h)mm	1.290 gr PPC (±%)	20 kg	+133 mm	Open: X Closed: ✓
R-KLT 4322 (4122 ESD)	297x396x213,7 (h)mm	265x346x190,5 (h)mm	1.610 gr PPC (±%)	20 kg	+199 mm	Open: X Closed: ✓
R-KLT 4329 (4129 ESD)	297x396x280 (h)mm	265x346x242 (h)mm	1.850 gr PPC (±%)	20 kg	+265 mm	Open: X Closed: ✓
R-KLT 6415 (6115 ESD)	396x594x147,5 (h)mm	364x544x109,5 (h)mm	2.100 gr PPC (±%)	20 kg	+133 mm	Open: X Closed: ✓
R-KLT 6422 (6122 ESD)	396x594x213,7 (h)mm	364x544x190,5 (h)mm	2.600 gr PPC (±%)	20 kg	+199 mm	Open: X Closed: ✓
R-KLT 6429 (6129 ESD)	396x594x280 (h)mm	364x544x242 (h)mm	2.970 gr PPC (±%)	20 kg	+265 mm	Open: X Closed: ✓
R-KLT D39 (D31 ESD)	169,6x267,8x17 (h)mm	X	90 gr PPC (±%)	X	+8 mm	Open: X Closed: ✓
R-KLT D49 (D41 ESD)	267,8x366x21,5 (h)mm	X	250 gr PPC (±%)	X	+16,5 mm	Open: X Closed: ✓
R-KLT D69 (D61 ESD)	366x563x21,5 (h)mm	X	520 gr PPC (±%)	X	+16,5 mm	Open: X Closed: ✓

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
R-KLT 3215 (3115 ESD)	360 pcs / 100*120 pallet	304 pcs / 80*120 pallet	7.920 pcs	10.032 pcs
R-KLT 4315 (4115 ESD)	180 pcs / 100*120 pallet	152 pcs / 80*120 pallet	3.960 pcs	5.016 pcs
R-KLT 4322 (4122 ESD)	120 pcs / 100*120 pallet	96 pcs / 80*120 pallet	2.640 pcs	3.168 pcs
R-KLT 4329 (4129 ESD)	90 pcs / 100*120 pallet	72 pcs / 80*120 pallet	1.980 pcs	2.376 pcs
R-KLT 6415 (6115 ESD)	90 pcs / 100*120 pallet	76 pcs / 80*120 pallet	1.980 pcs	2.508 pcs
R-KLT 6422 (6122 ESD)	60 pcs / 100*120 pallet	48 pcs / 80*120 pallet	1.320 pcs	1.584 pcs
R-KLT 6429 (6129 ESD)	45 pcs / 100*120 pallet	36 pcs / 80*120 pallet	990 pcs	1.188 pcs
R-KLT D39 (D31 ESD)	3.150 pcs / 80*120 pallet	3.150 pcs / 80*120 pallet	78.750 pcs	103.950 pcs
R-KLT D49 (D41 ESD)	675 pcs / 80*120 pallet	675 pcs / 80*120 pallet	16.875 pcs	22.275 pcs
R-KLT D69 (D61 ESD)	300 pcs / 80*120 pallet	300 pcs / 80*120 pallet	7.500 pcs	9.900 pcs



100% Recyclable



Food Grade



RL-KLT Industrial Boxes and Lids



Verband der
Automobilindustrie



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
RL-KLT 3147 (3115 ESD)	198x297x147,5 (h)mm	162x243x129,5 (h)mm	570 gr PPC (±%)	20 kg	+133 mm	Open: X Closed: ✓
RL-KLT 4147 (4047 ESD)	297x396x147,5 (h)mm	260x345x129,5 (h)mm	1.080 gr PPC (±%)	20 kg	+133 mm	Open: X Closed: ✓
RL-KLT 4213 (4013 ESD)	297x396x213,7 (h)mm	260x345x210,5 (h)mm	1.420 gr PPC (±%)	20 kg	+199 mm	Open: X Closed: ✓
RL-KLT 4280 (4080 ESD)	297x396x280 (h)mm	260x345x262 (h)mm	1.700 gr PPC (±%)	20 kg	+265 mm	Open: X Closed: ✓
RL-KLT 6147 (6047 ESD)	396x594x147,5 (h)mm	359x544x129,5 (h)mm	1.820 gr PPC (±%)	20 kg	+133 mm	Open: X Closed: ✓
RL-KLT 6213 (6013 ESD)	396x594x213,7 (h)mm	359x544x190,5 (h)mm	2.270 gr PPC (±%)	20 kg	+199 mm	Open: X Closed: ✓
RL-KLT 6280 (6080 ESD)	396x594x280 (h)mm	359x544x262 (h)mm	2.670 gr PPC (±%)	20 kg	+265 mm	Open: X Closed: ✓
RL-KLT D35 (D31 ESD)	170x268x17 (h)mm	X	90 gr PPC (±%)	X	+8 mm	Open: X Closed: ✓
RL-KLT D45 (D41 ESD)	267x365x13,5 (h)mm	X	270 gr PPC (±%)	X	+11,5 mm	Open: X Closed: ✓
RL-KLT D65 (D61 ESD)	365x563x16 (h)mm	X	670 gr PPC (±%)	X	+13 mm	Open: X Closed: ✓

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
RL-KLT 3147 (3115 ESD)	360 pcs / 100*120 pallet	304 pcs / 80*120 pallet	7.920 pcs	10.032 pcs
RL-KLT 4147 (4047 ESD)	180 pcs / 100*120 pallet	152 pcs / 80*120 pallet	3.960 pcs	5.016 pcs
RL-KLT 4213 (4013 ESD)	120 pcs / 100*120 pallet	96 pcs / 80*120 pallet	2.640 pcs	3.168 pcs
RL-KLT 4280 (4080 ESD)	90 pcs / 100*120 pallet	72 pcs / 80*120 pallet	1.980 pcs	2.376 pcs
RL-KLT 6147 (6047 ESD)	90 pcs / 100*120 pallet	76 pcs / 80*120 pallet	1.980 pcs	2.508 pcs
RL-KLT 6213 (6013 ESD)	60 pcs / 100*120 pallet	48 pcs / 80*120 pallet	1.320 pcs	1.584 pcs
RL-KLT 6280 (6080 ESD)	45 pcs / 100*120 pallet	36 pcs / 80*120 pallet	990 pcs	1.188 pcs
RL-KLT D35 (D31 ESD)	3.150 pcs / 80*120 pallet	3.150 pcs / 80*120 pallet	78.750 pcs	103.950 pcs
RL-KLT D45 (D41 ESD)	1.050 pcs / 80*120 pallet	1.050 pcs / 80*120 pallet	33.750 pcs	44.550 pcs
RL-KLT D65 (D61 ESD)	600 pcs / 80*120 pallet	600 pcs / 80*120 pallet	15.000 pcs	19.800 pcs



100% Recyclable



Food Grade



C-KLT Industrial Boxes and Lids

VDA

VERBODEN
Auto-industrie



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
C-KLT 3214 (3214 ESD)	198x297x147,2 (h)mm	136x260,1x144 (h)mm	720 gr PPC (±3)	50 kg	+132 mm	Open: X Closed: ✓
C-KLT 4314 (4316 ESD)	297x396x147,5 (h)mm	247x334x119 (h)mm	1.630 gr PPC (±3)	50 kg	+132mm	Open: X Closed: ✓
C-KLT 4328 (4327 ESD)	297x396x280 (h)mm	247,5x334x236,5 (h)mm	2.600 gr PPC (±3)	50 kg	+265 mm	Open: X Closed: ✓
C-KLT 6414 (6414 ESD)	400x600x147 (h)mm	346x532x115 (h)mm	2.800 gr PPC (±3)	50 kg	+132 mm	Open: X Closed: ✓
C-KLT 6421 (6421 ESD)	400x600x213 (h)mm	346x532x181 (h)mm	3.700 gr PPC (±3)	50 kg	+198 mm	Open: X Closed: ✓
C-KLT 6428 (6448 ESD)	396x594x280 (h)mm	346x532x246,5 (h)mm	4.400 gr PPC (±3)	50 kg	+265 mm	Open: X Closed: ✓
C-KLT D32 (D32 ESD)	150x267x8 (h)mm	X	90 gr PPC (±3)	X	+23 mm	Open: X Closed: ✓
C-KLT D43 (D43 ESD)	267x365x25 (h)mm	X	230 gr PPC (±3)	X	+22 mm	Open: X Closed: ✓
C-KLT D64 (D64 ESD)	365x563x25 (h)mm	X	550 gr PPC (±3)	X	+22 mm	Open: X Closed: ✓

Product Code	Loading Quantities			
	40HC	Truck	40HC	Truck
C-KLT 3214 (3214 ESD)	360 pcs / 100*120 pallet	304 pcs / 80*120 pallet	7.920 pcs	10.032 pcs
C-KLT 4314 (4316 ESD)	180 pcs / 100*120 pallet	152 pcs / 80*120 pallet	3.960 pcs	5.016 pcs
C-KLT 4328 (4327 ESD)	90 pcs / 100*120 pallet	72 pcs / 80*120 pallet	1.980 pcs	2.376 pcs
C-KLT 6414 (6414 ESD)	90 pcs / 100*120 pallet	76 pcs / 100*120 pallet	1.980 pcs	2.508 pcs
C-KLT 6421 (6421 ESD)	60 pcs / 100*120 pallet	48 pcs / 80*120 pallet	1.320 pcs	1.584 pcs
C-KLT 6428 (6448 ESD)	45 pcs / 100*120 pallet	36 pcs / 80*120 pallet	990 pcs	1.188 pcs
C-KLT D32 (D32 ESD)	1.050 pcs / 80*120 pallet	1.050 pcs / 80*120 pallet	26.250 pcs	34.650 pcs
C-KLT D43 (D43 ESD)	1.350 pcs / 80*120 pallet	1.350 pcs / 80*120 pallet	33.750 pcs	44.550 pcs
C-KLT D64 (D64 ESD)	600 pcs / 80*120 pallet	600 pcs / 80*120 pallet	15.000 pcs	19.800 pcs




100% Recyclable



Food Grade

Foldable Industrial Boxes



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	Folded Height	Handle Options
B-4322F	296x391x230 (h)mm	264x363x227 (h)mm	1.350 gr PPC (±3)	10 kg	62 (h)mm+55 (h)mm↑	Open: X Closed: ✓
B-4622F	394x594x233 (h)mm	366x561x220 (h)mm	2.630 gr PPC (±3)	15 kg	70 (h)mm+60 (h)mm↑	Open: X Closed: ✓
B-4626F	394x593x270 (h)mm	366x561x260 (h)mm	2.845 gr PPC (±3)	25 kg	76 (h)mm+70 (h)mm↑	Open: X Closed: ✓
B-4627F	394x593x280 (h)mm	366x561x271 (h)mm	2.865 gr PPC (±3)	25 kg	76 (h)mm+70 (h)mm↑	Open: X Closed: ✓
B-4628F	394x593x290 (h)mm	366x561x281 (h)mm	2.950 gr PPC (±3)	25 kg	76 (h)mm+70 (h)mm↑	Open: X Closed: ✓
B-4822F	394x794x229 (h)mm	366x761x220 (h)mm	3.055 gr PPC (±3)	15 kg	66 (h)mm+60 (h)mm↑	Open: X Closed: ✓
B-4324K	295x397x240 (h)mm	262x363x238 (h)mm	1.752 gr PPC (±3)	10 kg	70,5 (h)mm+66,5 (h)mm↑	Open: ✓ Closed: ✓
B-4634K	400x598x343 (h)mm	365x554x336 (h)mm	3.470 gr PPC (±3)	25 kg	75 (h)mm+61 (h)mm↑	Open: ✓ Closed: ✓

Product Code	Loading Quantities			
	40HC	Truck	40HC	Truck
B-4322F	175 pcs / 100*120 pallet	140 pcs / 80*120 pallet	3.850 pcs	4.620 pcs
B-4622F	200 pcs / 100*120 pallet	160 pcs / 80*120 pallet	4.400 pcs	5.280 pcs
B-4626F	175 pcs / 100*120 pallet	140 pcs / 80*120 pallet	3.850 pcs	4.620 pcs
B-4627F	175 pcs / 100*120 pallet	140 pcs / 80*120 pallet	3.850 pcs	4.620 pcs
B-4628F	175 pcs / 100*120 pallet	140 pcs / 80*120 pallet	3.850 pcs	4.620 pcs
B-4822F	120 pcs / 80*120 pallet	120 pcs / 80*120 pallet	3.000 pcs	3.960 pcs
B-4324K	350 pcs / 100*120 pallet	350 pcs / 100*120 pallet	7.700 pcs	9.100 pcs
B-4634K	150 pcs / 100*120 pallet	120 pcs / 80*120 pallet	3.300 pcs	3.960 pcs



100% Recyclable



Food Grade

B-4324K / B-4634K



Automation Boxes with Double Base



100% Recyclable



Food Grade



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
B-4618 DB	397x598x182(h) mm	366x567x163(h) mm	2.600 gr PPC (±%3)	20 kg	+165 mm ↑	Open: ✓ Closed: X
B-4627 DB	397x598x272(h) mm	366x567x253(h) mm	2.850 gr PPC (±%3)	30 kg	+255 mm ↑	Open: ✓ Closed: X
B-4632 DB	397x598x322(h) mm	366x567x303(h) mm	3.580 gr PPC (±%3)	35 kg	+305 mm ↑	Open: ✓ Closed: X
B-4363	428x628x79(h) mm	407x607x67,5(h) mm	1.090 gr PPC / Sheet 1.600 gr HDPE (±%3)	20 kg - 35*kg	+69,5 mm ↑	Open: ✓ Closed: X

*Unit load capacity is valid for applications using plastic sheet systems.

Product Code	Loading Quantities	
	40'HC	Truck
B-4618 DB	1.540 pcs	1.980 pcs
B-4627 DB	990 pcs	1.320 pcs
B-4632 DB	880 pcs	1.056 pcs
B-4363	3.740 pcs	4.884 pcs



Attached Lid Containers (ALC)

Heavy Duty



100% Recyclable



Food Grade



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	Double/Conical Height	Handle Options
B-ALC 46-320	398x600x320 (h)mm	365x550x300 (h)mm	3.380 gr PPC (±%3)	35 kg	610 mm / +127 mm ↑	Open: X Closed: ✓
B-ALC 46-365	398x600x365 (h)mm	365x550x345 (h)mm	3.590 gr PPC (±%3)	35 kg	700 mm / +127 mm ↑	Open: X Closed: ✓
B-ALC 46-416	398x600x416 (h)mm	365x550x396 (h)mm	3.815 gr PPC (±%3)	35 kg	802 mm / +127 mm ↑	Open: X Closed: ✓

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
B-ALC 46-320	64 pcs / 100*120 pallet	68 pcs / 100*120 pallet	1.408 pcs	1.768 pcs
B-ALC 46-365	64 pcs / 100*120 pallet	68 pcs / 100*120 pallet	1.408 pcs	1.768 pcs
B-ALC 46-416	60 pcs / 100*120 pallet	68 pcs / 100*120 pallet	1.320 pcs	1.768 pcs



Eco Attached Lid Containers (ALC)

Light Weight



100% Recyclable



Food Grade



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	Double/Conical Height	Handle Options
B-ALC 43-250	300x400x250 (h)mm	269x351x230 (h)mm	1.470 gr PPC (±%3)	15 kg	320 mm / 70 mm ↑	Open: X Closed: ✓
B-ALC 43-300	300x400x300 (h)mm	269x351x280 (h)mm	1.590 gr PPC (±%3)	18 kg	370 mm / 70 mm ↑	Open: X Closed: ✓
B-ALC 43-350	300x400x350 (h)mm	269x351x330 (h)mm	1.710 gr PPC (±%3)	20 kg	420 mm / 70 mm ↑	Open: X Closed: ✓
B-ALC 46-250	400x600x250 (h)mm	365x550x227 (h)mm	2.700 gr PPC (±%3)	25 kg	329 mm / 79 mm ↑	Open: X Closed: ✓
B-ALC 46-300	400x600x300 (h)mm	365x550x277 (h)mm	2.900 gr PPC (±%3)	30 kg	379 mm / 79 mm ↑	Open: X Closed: ✓
B-ALC 46-350	400x600x350 (h)mm	365x550x327 (h)mm	3.100 gr PPC (±%3)	35 kg	429 mm / 79 mm ↑	Open: X Closed: ✓
B-ALC 46-400	400x600x400 (h)mm	365x550x377 (h)mm	3.300 gr PPC (±%3)	35 kg	479 mm / 79 mm ↑	Open: X Closed: ✓

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
B-ALC 43-250	192 pcs / 80*120 pallet	204 pcs / 80*120 pallet	4.800 pcs	6.732 pcs
B-ALC 43-300	186 pcs / 80*120 pallet	204 pcs / 80*120 pallet	4.650 pcs	6.732 pcs
B-ALC 43-350	180 pcs / 80*120 pallet	198 pcs / 80*120 pallet	4.500 pcs	6.534 pcs
B-ALC 46-250	112 pcs / 100*120 pallet	120 pcs / 100*120 pallet	2.464 pcs	3.120 pcs
B-ALC 46-300	112 pcs / 100*120 pallet	116 pcs / 100*120 pallet	2.464 pcs	3.016 pcs
B-ALC 46-350	108 pcs / 100*120 pallet	116 pcs / 100*120 pallet	2.376 pcs	3.016 pcs
B-ALC 46-400	104 pcs / 100*120 pallet	112 pcs / 100*120 pallet	2.288 pcs	2.912 pcs



Attached Lid Containers



Product Code	External Dimensions	Internal Dimensions	Weight	Unit Load	2 nd Height	Handle Options
B-2617	173x258x180 (h)mm	150x217x165 (h)mm	272 gr PPC (±%3)	2 kg	+156 mm	Open: X Closed: ✓
B-3217	200x300x170 (h)mm	180x262x150 (h)mm	417 gr PPC (±%3)	3 kg	+154 mm	Open: X Closed: ✓
B-3825	262x398x158 (h)mm	230x330x140 (h)mm	610 gr PPC (±%3)	2 kg	+134 mm	Open: X Closed: ✓
B-4531	317x470x233 (h)mm	283x400x218 (h)mm	1.000 gr PPC (±%3)	2 kg	+211 mm	Open: X Closed: ✓

Product Code	Loading Quantities			
	40'HC	Truck	40'HC	Truck
B-2617	500 pcs / 80*120 pallet	500 pcs / 80*120	12.500 pcs	16.500 pcs
B-2617	500 pcs / 80*120 pallet	500 pcs / 80*120	12.500 pcs	16.500 pcs
B-3825	270 pcs / 80*120 pallet	270 pcs / 80*120	6.750 pcs	8.910 pcs
B-4531	128 pcs / 80*120 pallet	128 pcs / 80*120	3.200 pcs	4.224 pcs



Dolly



Product Code	External Dimensions			Internal Dimensions	Weight		
	Body	With Wheels	With Wheels+Towbar		Body	With Wheels	With Wheels+Towbar
ECO BENODOLLY 4060	398x595x75 (h)mm	398x595x160 (h)mm	X	371x571x25 (h)mm	1.050 gr PPC (±%3)	2.248 gr PPC (±%3)	X
BENODOLLY 4060	400x600x100 (h)mm	400x600x215 (h)mm	400x617x430 (h)mm	370x570x37 (h)mm	1.700 gr PPC (±%3)	4.350 gr PPC (±%3)	4.850 gr PPC (±%3)
BENODOLLY 4161	416x616x54 (h)mm	416x616x174 (h)mm	X	405x605x25 (h)mm	1.145 gr PPC (±%3)	2.500 gr PPC (±%3)	X
BENODOLLY 5464	546x646x149 (h)mm	546x646x174 (h)mm	X	340x440x48 (h)mm	2.700 gr PPC (±%3)	3.812 gr PPC (±%3)	X

Product Code	40'HC						Truck	
	Dynamic	Dual Height (With wheels)	Body	With Wheels	With Wheels+Towbar	Body	With Wheels	With Wheels+Towbar
ECO BENODOLLY 4060	100 kg	+286 mm	4.950 pcs	2.090 pcs	X	6.204 pcs	2.600 pcs	X
BENODOLLY 4060	400 kg	+370 mm	3.520 pcs	1.540 pcs	1.430 pcs	4.680 pcs	1.820 pcs	1.690 pcs
BENODOLLY 4161	100 kg	+323 mm	6.912 pcs	1.250 pcs	X	8.064 pcs	1.650 pcs	X
BENODOLLY 5464	150 kg	+299 mm	1.368 pcs	1.368 pcs	X	1.760 pcs	1.760 pcs	X

Water Bottle Pallet and Separator



For Preform / For Glass



100% Recyclable




Food Grade




Product Code	Dimensions	Weight	Static	Dynamic	Racking
Water Bottle Palle OD 2R	812x1.085,5x199 (h)mm	13.400 gr PPC (±%3)	1.600 kg	800 kg	X
Water Bottle Palle OD 3R	812x1.085,5x199 (h)mm	14.450 gr PPC (±%3)	1.600 kg	800 kg	800 kg
Water Bottle Separator	812x1.085x199 (h)mm	10.700 gr PPC (±%3)	1.600 kg	800 kg	X
Glass Water Bottle Separator	812x1.085x145 (h)mm	8.800 gr PPC (±%3)	1.000 kg	400 kg	X

Loading Quantities

Product Code	40'HC	Truck
Water Bottle Palle OD 2R	336 pcs	432 pcs
Water Bottle Palle OD 3R	336 pcs	432 pcs
Water Bottle Separator	560 pcs	720 pcs
Glass Water Bottle Separator	308 pcs	900 pcs





Product Code	Dimensions	Weight	Static	Dynamic	Racking	Profile
GPP-4060 Nestable OD	399x599x140 (h)mm	1.020 gr HDPE (±3)	150 kg	150 kg	X	X
GPP-4060 Nestable CD	399x599x140 (h)mm	1.240 gr HDPE (±3)	150 kg	150 kg	X	X
GPP-6080 OD	600x800x160 (h)mm	5.100 gr PPC/5.400 gr HDPE (±3)	2.000 kg	1.000 kg	500 kg	X
GPP-6080 CD	600x800x160 (h)mm	5.350 gr PPC/5.700 gr HDPE (±3)	2.000 kg	1.000 kg	500 kg	X
GPP 80120 OD	799x1.199x150 (h)mm	10.500 gr PPC/11.150 gr HDPE (±3)	3.000 kg	1.000 kg	350 kg	X
GPP 80120 CD	799x1.199x150 (h)mm	11.400 gr PPC/12.200 gr HDPE (±3)	3.000 kg	1.000 kg	X	X
GPP-80120 LW 3R OD	800x1.200x145 (h)mm	8.500 gr PPC/8.850 gr HDPE (±3)	3.000 kg	1.000 kg	100 kg	X
GPP-80120 LW 5R OD	800x1.200x145 (h)mm	8.850 gr PPC/9.250 gr HDPE (±3)	3.000 kg	1.000 kg	100 kg	X
GPP-80120 LW 3R CD	800x1.200x145 (h)mm	9.300 gr PPC/9.600 gr HDPE (±3)	3.000 kg	1.000 kg	100 kg	X
GPP-80120 LW 5R CD	800x1.200x145 (h)mm	9.650 gr PPC/10.000 gr HDPE (±3)	3.000 kg	1.000 kg	100 kg	X
EURO H1 OD	800x1.200x160 (h)mm	18.000 gr HDPE (±3)	4.800 kg	1.200 kg	850 kg	X
HYG-80120 HW CD	800x1.200x152 (h)mm	17.400 gr HDPE (±3)	4.800 kg	1.200 kg	1.000 kg	✓
HYG-80120 CD	800x1.200x152 (h)mm	18.000 gr HDPE (±3)	4.800 kg	1.200 kg	1.000 kg	✓
EURO 120 OD	800x1.200x120 (h)mm	12.900 gr PPC/13.400 gr HDPE (±3)	4.000 kg	1.000 kg	750 kg	X
EURO 120 CD	800x1.200x120 (h)mm	13.800 gr PPC/14.650 gr HDPE (±3)	4.000 kg	1.000 kg	750 kg	X
EURO 150 OD	799x1.199x150 (h)mm	16.250 gr HDPE (±3)	6.000 kg	2.000 kg	1.000 kg	✓
EURO 150 CD	799x1.199x150 (h)mm	16.415 gr HDPE (±3)	5.000 kg	1.750 kg	1.000 kg	✓
GPP-80120 Nestable OD	800x1.200x140 (h)mm	9.700 gr PPC/10.200 gr HDPE (±3)	3.600 kg	1.200 kg	X	X
EXP-80120 2K Nestable OD	800x1.200x140 (h)mm	6.350 gr PPC/6.925 gr HDPE (±3)	2.200 kg	1.000 kg	X	X
EXP-80120 2K Nestable CD	800x1.200x140 (h)mm	7.100 gr PPC/7.570 gr HDPE (±3)	2.200 kg	1.000 kg	X	X
EXP-80120 OD	800x1.200x140 (h)mm	4.920 gr PPC/5.240 gr HDPE (±3)	1.800 kg	600 kg	X	X
EXP-80120 CD	800x1.200x140 (h)mm	6.300 gr PPC (±3)	1.800 kg	600 kg	X	X
EXP-80120 H12	800x1.200x125 (h)mm	4.000 gr PPC (±3)	1.800 kg	600 kg	X	X
80120 Mirror	825x1.223x185 (h)mm	7.200 gr HDPE (±3)	1.000 kg	1.000 kg	X	X
GPP-100120 OD	1.000x1.200x150 (h)mm	14.800 gr PPC/15.650 gr HDPE (±3)	3.000 kg	1.000 kg	X	X
GPP-100120 CD	1.000x1.200x150 (h)mm	15.900 gr PPC/16.550 gr HDPE (±3)	3.000 kg	1.000 kg	450 kg	X
GPP-100120 LW OD	1.000x1.200x150 (h)mm	12.950 gr PPC/13.750 gr HDPE (±3)	4.000 kg	1.000 kg	500 kg	X
GPP-100120 LW CD	1.000x1.200x150 (h)mm	13.450 gr PPC/14.250 gr HDPE (±3)	4.000 kg	1.000 kg	500 kg	X
GPP-100120 HW OD	1.000x1.200x150 (h)mm	18.160 gr PPC/19.400 gr HDPE (±3)	5.000 kg	1.250 kg	1.000 kg	X
GPP-100120 HW CD	1.000x1.200x150 (h)mm	18.560 gr PPC/19.800 gr HDPE (±3)	5.000 kg	1.250 kg	1.000 kg	X
HYG-100120 HW CD	1.000x1.200x154 (h)mm	21.600 gr HDPE (±3)	5.000 kg	2.500 kg	1.250 kg	✓
HYG-100120 CD	1.000x1.200x154 (h)mm	22.320 gr HDPE (±3)	5.000 kg	2.500 kg	1.250 kg	✓
100120 150P	1.000x1.200x150 (h)mm	12.800 gr PPC/13.700 gr HDPE (±3)	5.000 kg	1.000 kg	300 kg	✓
EXP-100120 OD	1.000x1.200x140 (h)mm	5.675 gr PPC/6.130 gr HDPE (±3)	1.800 kg	600 kg	X	X
EXP-100120 H12	1.001x1.201x125 (h)mm	4.850 gr PPC (±3)	3.000 kg	1.000 kg	X	X
EXP-100120 2K Nestable OD	1.000x1.200x140 (h)mm	7.300 gr PPC/7.900 gr HDPE (±3)	2.200 kg	1.000 kg	X	X
EXP-100120 2K Nestable CD	1.000x1.200x140 (h)mm	7.900 gr PPC/8.755 gr HDPE (±3)	2.200 kg	1.000 kg	X	X
EXP-100120 OD	1.000x1.200x140 (h)mm	9.500 gr PPC (±3)	4.500 kg	1.500 kg	200 kg	X
100120 Mirror	1.002x1.206x185 (h)mm	8.450 gr HDPE (±3)	1.000 kg	1.000 kg	X	X
EXP-101121 OD	1.016x1.219x140 (h)mm	9.685 gr PPC (±3)	4.500 kg	1.500 kg	200 kg	X
GPP-110110 OD	1.100x1.100x160 (h)mm	16.200 gr PPC/17.100 gr HDPE (±3)	4.000 kg	1.200 kg	450 kg	✓
GPP-110110 CD	1.100x1.100x160 (h)mm	17.600 gr PPC/18.200 gr HDPE (±3)	4.000 kg	1.200 kg	450 kg	✓
EXP-110110 OD	1.101x1.101x135 (h)mm	10.750 gr PPC (±3)	3.000 kg	1.500 kg	X	X
GPP-110130 OD	1.100x1.300x150 (h)mm	12.450 gr PPC/13.200 gr HDPE (±3)	3.000 kg	1.500 kg	X	X
GPP-114114 OD	1.114x1.114x124 (h)mm	7.495 gr PPC (±3)	3.000 kg	1.000 kg	X	X
GPP-120120 OD	1.200x1.200x150 (h)mm	12.750 gr PPC/13.900 gr HDPE (±3)	4.000 kg	1.000 kg	X	✓

Loading Quantities

Product Code	40HC	Truck
GPP-4060 Nestable OD	6,000 pcs	7,920 pcs
GPP-4060 Nestable CD	6,000 pcs	7,920 pcs
GPP-6080 OD	880 pcs	1,122 pcs
GPP-6080 CD	880 pcs	1,122 pcs
GPP 80120 OD	550 pcs	756 pcs
GPP 80120 CD	550 pcs	756 pcs
GPP-80120 LW 3R OD	594 pcs	756 pcs
GPP-80120 LW 5R OD	425 pcs	594 pcs
GPP-80120 LW 3R CD	594 pcs	756 pcs
GPP-80120 LW 5R CD	425 pcs	594 pcs
EURO H1 OD	462 pcs	588 pcs
HYG-80120 HW CD	506 pcs	700 pcs
HYG-80120 CD	506 pcs	700 pcs
EURO 120 OD	638 pcs	812 pcs
EURO 120 CD	638 pcs	812 pcs
EURO 150 OD	550 pcs	756 pcs
EURO 150 CD	550 pcs	756 pcs
GPP-80120 Nestable OD	1,750 pcs	2,310 pcs
EXP-80120 2K Nestable OD	1,125 pcs	1,650 pcs
EXP-80120 2K Nestable CD	1,125 pcs	1,650 pcs
EXP-80120 OD	1,250 pcs	1,815 pcs
EXP-80120 CD	1,250 pcs	1,815 pcs
EXP-80120 H12	1,750 pcs	2,310 pcs
80120 Mirror	736 pcs	1,155 pcs
GPP-100120 OD	420 pcs	594 pcs
GPP-100120 CD	420 pcs	594 pcs
GPP-100120 LW OD	420 pcs	594 pcs
GPP-100120 LW CD	420 pcs	594 pcs
GPP-100120 HW OD	420 pcs	594 pcs
GPP-100120 HW CD	420 pcs	594 pcs
HYG-100120 HW CD	370 pcs	506 pcs
HYG-100120 CD	370 pcs	506 pcs
100120 150P	390 pcs	506 pcs
EXP-100120 OD	1,134 pcs	1,430 pcs
EXP-100120 H12	1,540 pcs	1,820 pcs
EXP-100120 2K Nestable OD	902 pcs	1,300 pcs
EXP-100120 2K Nestable CD	902 pcs	1,300 pcs
EXP-100120 OD	396 pcs	468 pcs
100120 Mirror	672 pcs	910 pcs
EXP-101121 OD	396 pcs	494 pcs
GPP-110110 OD	349 pcs	506 pcs
GPP-110110 CD	349 pcs	506 pcs
EXP-110110 OD	360 pcs	456 pcs
GPP-110130 OD	288 pcs	396 pcs
GPP-114114 OD	400 pcs	462 pcs
GPP-120120 OD	420 pcs	594 pcs



Metal Reinforced




Anti Slip Tape




Anti Slip Grommet



Stretch Film Holder



Anti Slip Grommet for Pallet Bottom








RFID

Safety Rims Option



Optional Runner





60x80x60 (h)cm

Perforated

65x100x67 (h)cm

Closed

80x120x72 (h)cm

Perforated/Closed

80x120x80 (h)cm

Perforated/Closed



100x120x58 (h)cm

Perforated/Closed

100x120x76 (h)cm

Perforated/Closed

100x120x77 (h)cm

Perforated/Closed

100x120x76/77 (h)cm

Perforated/Closed

Product Code	External Dimensions	Internal Dimensions	Weight	Static	Dynamic	Racking	Usable Volume	Unit Load
6080 H600 Perforated	600x800x600 (h)mm	556x756x479 (h)mm	9.050 gr PPC/9.600 gr HDPE (±%3)	500 kg	X	X	200 lt	100 kg
65100 H67 Closed	636x1.017x673 (h)mm	587x937x512 (h)mm	12.930 gr PPC (±%3)	1.800 kg	300 kg	X	270 lt	300 kg
80120 H725 Perforated	795x1.194x725 (h)mm	733x1.103x570 (h)mm	20.840 gr PPC (±%3)	2.500 kg	300 kg	X	410 lt	300 kg
80120 H80 Closed	795x1.194x801 (h)mm	733x1.103x644 (h)mm	22.840 gr PPC (±%3)	2.500 kg	400 kg	X	510 lt	400 kg
80120 H80 Perforated (6 Feet)	801x1.200x800 (h)mm	735x1.134x655 (h)mm	25.220 gr PPC (±%3)	2.500 kg	400 kg	X	535 lt	400 kg
80120 H80 Solid Base (6 Feet)	801x1.200x800 (h)mm	735x1.134x655 (h)mm	25.470 gr PPC (±%3)	2.500 kg	400 kg	X	535 lt	400 kg
80120 H80 Closed (6 Feet)	801x1.200x800 (h)mm	735x1.114x655 (h)mm	26.270 gr PPC (±%3)	2.500 kg	400 kg	X	535 lt	400 kg
80120 H80 Perforated (Monoblock)	801x1.200x800 (h)mm	735x1.134x655 (h)mm	26.000 gr PPC (±%3)	2.500 kg	400 kg	400 kg	535 lt	400 kg
80120 H80 Solid Base (Monoblock)	801x1.200x800 (h)mm	735x1.134x655 (h)mm	26.300 gr PPC (±%3)	2.500 kg	400 kg	400 kg	535 lt	400 kg
80120 H80 Closed (Monoblock)	801x1.200x800 (h)mm	735x1.134x655 (h)mm	27.000 gr PPC (±%3)	2.500 kg	400 kg	400 kg	535 lt	400 kg
100120 NV H58 Perforated	1.000x1.200x578 (h)mm	914x1.114x420 (h)mm	27.640 gr HDPE (±%3)	3.000 kg	300 kg	X	400 lt	300 kg
100120 NV H58 Solid Base	1.000x1.200x578 (h)mm	914x1.114x420 (h)mm	28.740 gr HDPE (±%3)	3.000 kg	300 kg	X	400 lt	300 kg
100120 NV H58 Closed	1.000x1.200x578 (h)mm	914x1.114x420 (h)mm	29.300 gr HDPE (±%3)	3.000 kg	300 kg	X	400 lt	300 kg
100120 NV H760 Perforated	1.000x1.200x760 (h)mm	893,5x1.114x620,5 (h)mm	30.100 gr HDPE (±%3)	4.500 kg	450 kg	X	620 lt	450 kg
100120 H760 Solid Base	1.000x1.200x760 (h)mm	893,5x1.114x620,5 (h)mm	30.600 gr HDPE (±%3)	4.500 kg	450 kg	X	620 lt	450 kg
100120 H760 Closed	1.000x1.200x760 (h)mm	893,5x1.114x620,5 (h)mm	31.900 gr HDPE (±%3)	4.500 kg	450 kg	X	620 lt	450 kg
100120 H770 Perforated	1.000x1.200x770 (h)mm	893,5x1.114x620,5 (h)mm	30.220 gr HDPE (±%3)	4.500 kg	450 kg	X	620 lt	450 kg
100120 H770 Solid Base	1.000x1.200x770 (h)mm	893,5x1.114x620,5 (h)mm	30.720 gr HDPE (±%3)	4.500 kg	450 kg	X	620 lt	450 kg
100120 H770 Closed	1.000x1.200x770 (h)mm	893,5x1.114x620,5 (h)mm	32.020 gr HDPE (±%3)	4.500 kg	450 kg	X	620 lt	450 kg
100120 NV H76 Perforated	1.000x1.200x758 (h)mm	912x1.112x600 (h)mm	34.190 gr HDPE (±%3)	4.500 kg	450 kg	X	610 lt	450 kg
100120 NV H76 Solid Base	1.000x1.200x758 (h)mm	912x1.112x600 (h)mm	36.040 gr HDPE (±%3)	4.500 kg	450 kg	X	610 lt	450 kg
100120 NV H76 Closed	1.000x1.200x758 (h)mm	912x1.112x600 (h)mm	37.900 gr HDPE (±%3)	4.500 kg	450 kg	X	610 lt	450 kg
100120 HV H77 Perforated	1.000x1.200x772 (h)mm	912x1.112x615 (h)mm	32.980 gr PPC/34.800 gr HDPE (±%3)	4.500 kg	500 kg	X	670 lt	450 kg
100120 HV H77 Solid Base	1.000x1.200x772 (h)mm	912x1.112x615 (h)mm	33.100 gr PPC/34.640 gr HDPE (±%3)	4.500 kg	500 kg	X	670 lt	500 kg
100120 HV H77 Closed	1.000x1.200x772 (h)mm	912x1.112x615 (h)mm	35.000 gr PPC/36.040 gr HDPE (±%3)	4.500 kg	500 kg	X	670 lt	500 kg

Loading Quantities

Product Code	40'HC	Truck
6080 H600 Perforated	200 pcs	330 pcs
65100 H67 Closed	164 pcs	188 pcs
80120 H725 Perforated	100 pcs	165 pcs
80120 H80 Closed	75 pcs	99 pcs
80120 H80 Perforated (6 Feet)	75 pcs	99 pcs
80120 H80 Solid Base (6 Feet)	75 pcs	99 pcs
80120 H80 Closed (6 Feet)	75 pcs	99 pcs
80120 H80 Perforated (Monoblock)	75 pcs	99 pcs
80120 H80 Solid Base (Monoblock)	75 pcs	99 pcs
80120 H80 Closed (Monoblock)	75 pcs	99 pcs
100120 NV H58 Perforated	88 pcs	130 pcs
100120 NV H58 Solid Base	88 pcs	130 pcs
100120 NV H58 Closed	88 pcs	130 pcs
100120 H760 Perforated	88 pcs	130 pcs
100120 H760 Solid Base	88 pcs	130 pcs
100120 H760 Closed	88 pcs	130 pcs
100120 H770 Perforated	88 pcs	130 pcs
100120 H770 Solid Base	88 pcs	130 pcs
100120 H770 Closed	88 pcs	130 pcs
100120 NV H76 Perforated	88 pcs	130 pcs
100120 NV H76 Solid Base	88 pcs	130 pcs
100120 NV H76 Closed	88 pcs	130 pcs
100120 HV H77 Perforated	88 pcs	130 pcs
100120 HV H77 Solid Base	88 pcs	130 pcs
100120 HV H77 Closed	88 pcs	130 pcs



Feet



Monoblock




2 Runners



3 Runners



Perforated



Closed/Solid Base



Valve



With Wheels

Nestable Containers



Pad Feet

No Strap Easy

No Strap Locked

Short Strap Easy

Short Strap Locked

Product Code	External Dimensions	Internal Dimensions	Weight	Static	Dynamic	Racking	Usable Volume	Unit Load
Yoyobin 1012 V-NS-P	1.000x1.200x803 (h)mm	940x1.140x670 (h)mm	20.400 gr PPC (+%3)	500 kg	500 kg	X	640 lt	500 kg
Yoyobin 1012 V-NS-E	1.000x1.200x807 (h)mm		27.440 gr PPC (+%3)	5.000 kg	1.500 kg			
Yoyobin 1012 V-NS-L			27.300 gr PPC (+%3)					
Yoyobin 1012 V-SS-E			28.270 gr PPC (+%3)					
Yoyobin 1012 V-SS-L			28.250 gr PPC (+%3)					



*Nested Second Height : 150 mm

*Stack Second Height : 793 mm

Vented

Loading Quantities

Product Code	40'HC	Truck
Yoyobin 1012 V-NS-P	264 pcs	364 pcs
Yoyobin 1012 V-NS-E		
Yoyobin 1012 V-NS-L		
Yoyobin 1012 V-SS-E		
Yoyobin 1012 V-SS-L		



Pad Feet

No Strap Easy

No Strap Locked

Short Strap Easy

Short Strap Locked

Product Code	External Dimensions	Internal Dimensions	Weight	Static	Dynamic	Racking	Usable Volume	Unit Load
Yoyobin 1012 S-NS-P	1.000x1.200x803 (h)mm	940x1.140x670 (h)mm	20.400 gr PPC (+%3)	500 kg	500 kg	X	640 lt	500 kg
Yoyobin 1012 S-NS-E	1.000x1.200x807 (h)mm		27.440 gr PPC (+%3)	5.000 kg	1.500 kg			
Yoyobin 1012 S-NS-L			27.300 gr PPC (+%3)					
Yoyobin 1012 S-SS-E			28.270 gr PPC (+%3)					
Yoyobin 1012 S-SS-L			28.250 gr PPC (+%3)					
					500 kg			


*Nested Second Height : 150 mm

*Stack Second Height : 793 mm

Solid

Loading Quantities

Product Code	40'HC	Truck
Yoyobin 1012 S-NS-P	264 pcs	364 pcs
Yoyobin 1012 S-NS-E		
Yoyobin 1012 S-NS-L		
Yoyobin 1012 S-SS-E		
Yoyobin 1012 S-SS-L		



Feet Options

Strap Options




Pad Feet




No Strap Easy



No Strap Locked



Short Strap Easy



Short Strap Locked

Packaging Informations



Pad Feet



Strap Easy / Locked



Pad Feet-Strap Column



Stack

Designed for load-fill optimisation delivering supply chain efficiency

- Modular design allows quick assembly / disassembly
- Tapered walls enables easy and quick de-nesting
- Unassembled configuration minimises space required for shipping and storage when empty

Up to 75% Space Saving!

12 pcs

40'HC loading


3 pcs

2.45 m



built to last...

Stackable



Nestable




Triple Bond



2.39 m

Tub Stacker



- Stack Seating Surface** : Provides secure and stable stacking by precisely seating onto container feet. Ensures balanced load transfer.
- Positioning Surface** : The integrated interlocking design aligns perfectly with the container's upper frame for secure positioning.
- Water Drainage Holes** : Integrated base holes prevent water accumulation and enable efficient drainage and faster drying after washing.

Product Code	External Dimensions	Weight	Static	Dynamic	2 nd Height
Tub Stacker	153x1.010x101(h) mm	1.525 gr PPC (%15GF PPC) (±%3)	X	X	X
Yoyobin 1012 V-NS-P ¹	1.010x1.210x826,5(h) mm	23.450 gr PPC (%15GF PPC) (±%3)	1.500 kg	1.500 kg	794 mm ↑
Yoyobin 1012 S-NS-P ¹	1.010x1.210x826,5(h) mm	23.450 gr PPC (%15GF PPC) (±%3)	1.500 kg	1.500 kg	794 mm ↑


¹The stated capacity values apply when used in combination with the Tub Stacker.

Loading Quantities

Product Code	40HC	Truck
Tub Stacker	504 pcs	936 pcs
Yoyobin 1012 V-NS-P ²	264 pcs	364 pcs
Yoyobin 1012 S-NS-P ²	264 pcs	364 pcs

²All loading data are related to the container and the stacker set.


Packaging Information



The product is designed to be used with Pad Feet. It is not suitable for using without Pad Feet. It is compatible with Yoyobin strap versions.



Stack Configuration

- Secure and stable stacking is ensured with the Tub Stacker; when removed, the conical design enables nested stack, providing maximum space savings.
- Provides efficiency and cost optimization in logistics operations.



ACCESSORIES &

APPLICATIONS



BENOPLAST®
GmbH
www.benoplast.com

Friedrichstraße 15 70174
Stuttgart / GERMANY
+49 172 677 13 02

BENOPLAST®
www.benoplast.com

Esentepe Mah. Milangaz Cad. No:75
Monumento Kartal Plaza B Blok No:2
34870 Kartal - İstanbul / TÜRKİYE
+90 216 456 22 00



www.benoplast.com

export@benoplast.com